

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

=> d his 130-134

(FILE 'HCAPLUS' ENTERED AT 16:02:33 ON 26 FEB 2003)


L30 359 S L29 ← Total citations having related structures
 L31 7 S L30 AND (L11-L13)
 L32 4 S L30 AND (FLUORESCENT(3A) (PARTICL? OR LIPOSOM? OR MICROSPHERE?
 L33 0 S L30 AND (FLOURESCENT(5A) (PHAGE# OR CELL# OR ENCAPSULAT? OR EN
 L34 4 S L31 AND L32 ← All four of articles containing fluorescent particles
 were by inventors

citations with
 requested
 structures
 along with
 fluorescent
 particles etc.

=> d que 131

L6 8922 SEA FILE=REGISTRY C>=32 AND H>=18 AND N>=8 AND SI>=1
 L7 8112 SEA FILE=REGISTRY L6 AND O>=2
 L11 86 SEA FILE=HCAPLUS BUECHLER K?/AU
 L12 30 SEA FILE=HCAPLUS NOAR J?/AU
 L13 13 SEA FILE=HCAPLUS TADESSE L?/AU
 L24 STR

← Substances having at least
 32 carbons, at least 18
 hydrogens, at least 8 nitrogens,
 at least one silicon, and at least
 2 oxygens



← Parent structure showing
 core phthalocyanine with complexed
 silicon

NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 41

STEREO ATTRIBUTES: NONE

L27 2189 SEA FILE=REGISTRY SUB=L7 SSS FUL L24 searched structure L24 on answer
 L28 2081 SEA FILE=REGISTRY L27 AND SI<=4 set L7
 L29 924 SEA FILE=REGISTRY L28 AND SI=3 further limited to compounds having
 L30 359 SEA FILE=HCAPLUS L29 exactly 3 silicons
 L31 7 SEA FILE=HCAPLUS L30 AND ((L11 OR L12 OR L13))

← displays structures with hits

← Citations having the
 above parameters by
 the inventors


=> d ibib abs hitstr 131 1-7

L31 ANSWER 1 OF 7 HCAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 2002:392193 HCAPLUS
 DOCUMENT NUMBER: 136:356382

Epperson 09/776,599


TITLE: Hybrid phthalocyanine derivatives and their uses
INVENTOR(S): Buechler, Kenneth F.; Noar, Joseph
PATENT ASSIGNEE(S): B.; Tadesse, Lema
SOURCE: USA
U.S. Pat. Appl. Publ., 61 pp., Cont.-in-part of U.S.
Ser. No. 66,255.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 7
PATENT INFORMATION:




PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2002061602	A1	20020523	US 2001-776599	20010201
US 6238931	B1	20010529	US 1994-274534	19940712
WO 9508772	A1	19950330	WO 1994-US10826	19940923
W: AU, CA, JP				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
US 5763189	A	19980609	US 1994-311098	19940923
US 6251687	B1	20010626	US 1995-409298	19950323
US 5824799	A	19981020	US 1996-620597	19960322
PRIORITY APPLN. INFO.:				
			US 1993-126367	B2 19930924
			US 1993-138708	B2 19931018
			US 1994-274534	A2 19940712
			US 1994-311098	A2 19940923
			WO 1994-US10826	W 19940923
			US 1995-409298	A2 19950323
			US 1995-409825	B2 19950323
			US 1996-620597	A1 19960322
			US 1998-66255	A2 19980424
AB	Water sol. hybrid phthalocyanine derivs. useful in competitive and noncompetitive assays immunoassays, nucleic acid and assays are disclosed and claimed having (1) at least one donor subunit with a desired excitation peak; and (2) at least one acceptor subunit with a desired emission peak, wherein said deriv.(s) is/are capable of intramol. energy transfer from said donor subunit to said acceptor subunit. Such derivs. also may contain an electron transfer subunit. Axial ligands may be covalently bound to the metals contained in the water sol. hybrid phthalocyanine derivs. Ligands, ligand analogs, polypeptides, proteins and nucleic acids can be linked to the axial ligands of the dyes to form dye conjugates useful in immunoassays and nucleic acid assays.			
IT	68812-20-4P 92396-89-9P 163968-88-5P 163968-89-6P 163968-92-1P 163968-94-3P 163968-95-4P 163969-09-3P 163969-10-6P 183872-63-1P 209161-30-8P 209161-31-9P 209161-33-1P RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation); USES (Uses) (prepn. of hybrid phthalocyanine derivs. for uses in immunoassays and nucleic acid assays)			
RN	68812-20-4 HCAPLUS			
CN	Silicon, bis(ethenyldimethylsilanolato)[29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)-(9CI) (CA INDEX NAME)			




RN 92396-89-9 HCAPLUS
 CN Silicon, [29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]bis(trihexylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A










RN 163968-88-5 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [37H, 39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)





RN 163968-89-6 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [5,9,14,18,23,27,32,36-octaethoxy-37H, 39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)






RN 163968-92-1 HCAPLUS
 CN Silicon, bis[1-[2-[[(hydroxy-.kappa.O)dimethylsilyl]oxy]ethyl]-1H-pyrrole-2,5-dionato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3''''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)



RN 163968-94-3 HCAPLUS
 CN Silicon, bis[dimethyl(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)silanolato-.kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2'',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B


-- (CF2)5-CF3


RN 163968-95-4 HCAPLUS
 CN Silicon, bis[(((2E,4E,6E,8E)-3,7-dimethyl-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,4,6,8-nonatetraenyl)oxy)dimethylsilanolato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A





PAGE 1-B






RN 163969-09-3 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)







RN 163969-10-6 HCAPLUS

CN Silicon, bis(ethenyldimethylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-63-1 HCAPLUS

CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)





RN 209161-30-8 HCAPLUS
 CN Silicon, bis(dimethyl-2-propenylsilanolato) [1,2,3,4-tetrafluoro-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B







PAGE 2-B

RN 209161-31-9 HCAPLUS
 CN Silicon, bis[dimethyl (pentafluorophenyl)silanolato-.kappa.O] [1,2,3,4-tetrafluoro-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)-(9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 2-A



RN 209161-33-1 HCAPLUS

CN Silicon, [2,18-bis(1,1-dimethylethyl)-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis(dimethyl-7-octenylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 1-B


=CH₂

IT 163968-91-0P 163969-07-1P 163969-11-7P
163969-15-1P 183872-48-2P 183872-56-2P
183872-57-3P 183872-66-4P 209161-25-1P


RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of hybrid phthalocyanine derivs. for uses in immunoassays and nucleic acid assays)

RN 163968-91-0 HCAPLUS



CN Silicon, bis(ethenyldiphenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3''''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163969-07-1 HCAPLUS
 CN Silicon, bis[methyl 11-[(hydroxy-.kappa.O)dimethylsilyl]undecanoato][29H,3
 1H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)



RN 163969-11-7 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][37H,39H-
 tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrizinato(2-)-
 .kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX
 NAME)





RN 163969-15-1 HCAPLUS
 CN Silicon, [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]bis(triphenylsilylanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-48-2 HCAPLUS
 CN Silicon, bis[dimethyl[4-[(1E)-2-phenylethenyl]phenoxy]silanolato-
 .kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-
 q]porphyrinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A






RN 183872-56-2 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraethoxy-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)



=CH₂


RN 183872-57-3 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrizinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A



=CH₂

RN 183872-66-4 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[2,3,11,12,20,21,29,30-octabromo-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)



RN 209161-25-1 HCAPLUS
 CN Silicon, bis[3-[(hydroxy-.kappa.O)dimethylsilyl]propanenitrilato][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)-(9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

L31 ANSWER 2 OF 7 HCAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 2001:464312 HCAPLUS

DOCUMENT NUMBER: 135:78227

TITLE: Fluorescence energy transfer and intramolecular energy

INVENTOR(S): transfer in particles using novel compounds
Buechler, Kenneth F.; Noar, Joseph Barry; Tadesse, Lema
 PATENT ASSIGNEE(S): Biosite Diagnostics, Inc., USA
 SOURCE: U.S., 57 pp., Cont.-in-part of U.S. 5,763,189.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 7
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6251687	B1	20010626	US 1995-409298	19950323
US 6238931	B1	20010529	US 1994-274534	19940712
US 5763189	A	19980609	US 1994-311098	19940923
US 2002061602	A1	20020523	US 2001-776599	20010201
PRIORITY APPLN. INFO.:			US 1993-126367	B2 19930924
			US 1993-138708	B2 19931018
			US 1994-274534	A2 19940712
			US 1994-311098	A2 19940923
			WO 1994-US10826	W 19940923
			US 1995-409298	A2 19950323
			US 1995-409825	B2 19950323
			US 1996-620597	A1 19960322
			US 1998-66255	A2 19980424


AB The invention describes the particles comprising an energy donor as a first component and a fluorescent dye as a second component positioned in said particles at an energy exchanging distance from one another, wherein the two components have a Stokes shift of greater than or equal to 50 nm, said particle having bound on its surface, a protein, polypeptide, nucleic acid, nucleotide or protein contg. ligand analog are disclosed and claimed. In addn., novel fluorescent dyes are described which exhibit intramol. energy transfer for use to label various mols., proteins, polypeptides, nucleotides and nucleic acids or to incorporate into particles.

IT 163968-88-5P 163968-89-6P 163968-94-3P
 163968-95-4P 183872-48-2P 183872-56-2P
 183872-57-3P 183872-61-9P 183872-62-0P
 183872-63-1P 183872-66-4P 183872-71-1P
 183872-74-4P 183872-76-6P 183872-77-7P
 183872-79-9P 183872-84-6P 183872-94-8P
 183872-95-9P 183872-96-0P 183873-19-0P
 183873-20-3P 183973-60-6P 342373-96-0DP,
 fluorescein ATP derivs.

RL: ARG (Analytical reagent use); IMF (Industrial manufacture); ANST (Analytical study); PREP (Preparation); USES (Uses)
 (dye; fluorescence energy transfer and intramol. energy transfer in particles using novel compds., manuf. and use in assay of biomol.)

RN 163968-88-5 HCAPLUS


CN Silicon, bis(dimethyl-7-octenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163968-89-6 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [5,9,14,18,23,27,32,36-octaethoxy-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)



PAGE 1-A

PAGE 2-A




PAGE 2-B






PAGE 3-A



RN 163968-94-3 HCAPLUS
 CN Silicon, bis[dimethyl(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)silanolato- κ O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2'',3'''-q]porphyrazinato(2-)- κ N37, κ N38, κ N39, κ N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)




PAGE 1-A


— (CF₂)₅—CF₃

RN 163968-95-4 HCAPLUS
CN Silicon, bis[[[(2E,4E,6E,8E)-3,7-dimethyl-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,4,6,8-nonatetraenyl]oxy]dimethylsilanolato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A





PAGE 1-B



PAGE 1-C




RN 183872-48-2 HCAPLUS
 CN Silicon, bis[dimethyl[4-[(1E)-2-phenylethenyl]phenoxy]silanolato-
 .kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3''''-
 q]porphyrinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)



RN 183872-56-2 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraethoxy-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B

=CH₂

RN 183872-57-3 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B

=CH₂

RN 183872-61-9 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [1,2,3,4-tetrafluoro-9,14,25,30-tetraphenyl-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-1:2'',3''-q]porphyrinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B


=CH₂

RN 183872-62-0 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][1,2,3,4-tetrafluoro-9,14,25,30-tetraphenyl-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-1:2'',3''-q]porphyrazinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]-, (OC-6-12)- (9CI) (CA INDEX NAME)



PAGE 1-A




PAGE 2-A





RN 183872-63-1 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato- κ O][8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)- κ .N33, κ .N34, κ .N35, κ .N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-66-4 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[2,3,11,12,20,21,29,30-octabromo-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-71-1 HCAPLUS
 CN Silicon, (dimethyl-7-octenylsilanolato)[1,4,17,20-tetraphenyl-33H,35H-dibenzo[b,l]dinaphtho[2,3-g,2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)






RN 183872-74-4 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[9,14,25,30-tetraphenyl-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-1:2'',3'''-q]porphyrazinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]-, (OC-6-12)-(9CI) (CA INDEX NAME)



=CH₂

RN 183872-76-6 HCAPLUS


CN Silicon, [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis(triethylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 183872-77-7 HCAPLUS

CN Silicon, bis(dimethyl-7-octenylsilanolato)[22,27-diphenyl-31H,33H-tribenzo[b,g,l]naphtho[2,3-q]porphyrazinato(2-)-.kappa.N31,.kappa.N32,.kappa.N33,.kappa.N34]-, (OC-6-13)- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B

=CH₂

RN 183872-79-9 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazine-2,3,18,19-tetracarbonitrilato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B

=CH₂

RN 183872-84-6 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[2,3,18,19-tetrachloro-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B

=CH₂

RN 183872-94-8 HCAPLUS
 CN Silicon, [18,19-dichloro-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-l:2'',3''-q]porphyrazinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]bis(dimethyl-7-octenylsilanolato)-, (OC-6-13)- (9CI) (CA INDEX NAME)



PAGE 1-A



PAGE 1-B


=CH₂

RN 183872-95-9 HCAPLUS
 CN Silicon, [18,19-dichloro-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-1:2'',3''-q]porphyrazinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O]-, (OC-6-13)- (9CI) (CA INDEX NAME)






RN 183872-96-0 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [5,18,23,36-tetraphenyl-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9Cl) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B





RN 183873-19-0 HCAPLUS
 CN Silicon, [33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazine-2,3,18,19-tetracarbonitrilato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis(dimethyl-7-octenylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A




PAGE 1-B

=CH₂


RN 183873-20-3 HCAPLUS
 CN Silicon, [33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazine-

2,3,18,19-tetracarbonitrilato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O]-, (OC-6-12)- (9CI)
(CA INDEX NAME)

PAGE 1-A




PAGE 2-A




RN 183973-60-6 HCAPLUS

CN Silicon, [2,18(or 2,19)-bis(1,1-dimethylethyl)-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



D1-Bu-t

RN 342373-96-0 HCAPLUS
 CN Silicon, bis[1-[(hydroxy-.kappa.O)dimethylsilyl]-1H-pyrrole-2,5-dionato][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***


IT 183973-58-2P

RL: ARG (Analytical reagent use); IMF (Industrial manufacture); ANST (Analytical study); PREP (Preparation); USES (Uses)
 (intermediate; fluorescence energy transfer and intramol. energy transfer in particles using novel compds., manuf. and use in assay of biomol.)

RN 183973-58-2 HCAPLUS

CN Silicon, [2,18(or 2,19)-bis(1,1-dimethylethyl)-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis(dimethyl-7-octenylsilanolato)- (9CI) (CA INDEX NAME)

PAGE 1-A



D1-Bu-t


=CH₂

IT 67881-06-5P 68812-20-4P 92396-89-9P
 149971-18-6P 153454-01-4P 163968-91-0P
 163968-92-1P 163969-07-1P 163969-08-2P
 163969-10-6P 163969-11-7P 163969-15-1P
 183872-72-2P 183872-98-2P 183872-99-3P
 183873-03-2P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT
 (Reactant or reagent)
 (intermediate; fluorescence energy transfer and intramol. energy
 transfer in particles using novel compds., manuf. and use in assay of
 biomol.)


RN 67881-06-5 HCAPLUS

CN Silicon, bis[(1,1-dimethylethyl)dimethylsilanolato][29H,31H-
 phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)




RN 68812-20-4 HCAPLUS




CN Silicon, bis(ethenyldimethylsilanolato)[29H,31H-phthalocyaninato(2-)-
 .kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)-(9CI) (CA INDEX
 NAME)



RN 92396-89-9 HCAPLUS
 CN Silicon, [29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]bis(trihexylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A






RN 149971-18-6 HCAPLUS

CN Silicon, bis(dimethyloctadecylsilanolato) [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 153454-01-4 HCAPLUS



CN Silicon, bis[(1,1-dimethylethyl)dimethylsilanolato] [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163968-91-0 HCAPLUS
 CN Silicon, bis(ethenyldiphenylsilanolato) [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 163968-92-1 HCAPLUS
 CN Silicon, bis[1-[2-[[(hydroxy-.kappa.O)dimethylsilyl]oxy]ethyl]-1H-pyrrole-2,5-dionato] [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163969-07-1 HCAPLUS
 CN Silicon, bis[methyl 11-[(hydroxy-.kappa.O)dimethylsilyl]undecanoato][29H,3
 1H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)




RN 163969-08-2 HCAPLUS

CN Silicon, bis[4-[(hydroxy-.kappa.O)dimethylsilyl]butanenitrilato][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163969-10-6 HCAPLUS


CN Silicon, bis(ethenyldimethylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrizinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 163969-11-7 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)


PAGE 1-A







RN 163969-15-1 HCAPLUS

CN Silicon, [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]bis(triphenylsilylanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-72-2 HCAPLUS


CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][1,4,17,20-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g,2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 183872-98-2 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[29H,31H-phthalocyaninato(2-)-
 .kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX
 NAME)




RN 183872-99-3 HCAPLUS
 CN Silicon, bis(ethenyldimethylsilylato)[29H,31H-phthalocyaninato(2-)-
 .kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-23)-(9CI) (CA INDEX
 NAME)



RN 183873-03-2 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilylato)[31H,33H-
 tribenzo[b,g,l]naphtho[2,3-q]porphyrizinato(2-)-
 .kappa.N31,.kappa.N32,.kappa.N33,.kappa.N34]-, (OC-6-13)-(9CI) (CA INDEX
 NAME)

PAGE 1-A



PAGE 1-B

=CH₂



IT 163969-09-3P

RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT (Reactant or reagent)

(reactant; fluorescence energy transfer and intramol. energy transfer in particles using novel compds., manuf. and use in assay of biomol.)

RN 163969-09-3 HCAPLUS

CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)-(9CI) (CA INDEX NAME)



REFERENCE COUNT: 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L31 ANSWER 3 OF 7 HCAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 2001:391992 HCAPLUS
 DOCUMENT NUMBER: 135:2542
 TITLE: Fluorescence energy transfer in particles
 INVENTOR(S): Buechler, Kenneth F.; Noar, Joseph
 Barry; Tadesse, Lema
 PATENT ASSIGNEE(S): Biosite Diagnostics, Inc., USA
 SOURCE: U.S., 30 pp., Cont.-in-part of U.S. Ser. No. 138,708,
 abandoned.
 CODEN: USXXAM
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 7
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6238931	B1	20010529	US 1994-274534	19940712
WO 9508772	A1	19950330	WO 1994-US10826	19940923
W: AU, CA, JP				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
AU 9480112	A1	19950410	AU 1994-80112	19940923
EP 670041	A1	19950906	EP 1994-931287	19940923
EP 670041	B1	20020130		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 08503994	T2	19960430	JP 1994-509970	19940923
US 5763189	A	19980609	US 1994-311098	19940923
US 6251687	B1	20010626	US 1995-409298	19950323
AT 212721	E	20020215	AT 1994-931287	19950330
US 5824799	A	19981020	US 1996-620597	19960322
US 2002061602	A1	20020523	US 2001-776599	20010201

PRIORITY APPLN. INFO.:

US 1993-126367	B2	19930924
US 1993-138708	B2	19931018
US 1994-274534	A	19940712
US 1994-311098	A2	19940923
WO 1994-US10826	W	19940923
US 1995-409298	A2	19950323
US 1995-409825	A2	19950323
US 1996-620597	A1	19960322
US 1998-66255	A2	19980424

AB Particles and methods for the detection or visualization of analytes using fluorescence energy transfer are disclosed. Particles comprising an energy donor as a first component and a fluorescent dye as a second component positioned in said particles at an energy exchanging distance from one another, wherein the two components have a Stokes shift of greater than or equal to 50 nm, said particle having bound on its surface, a protein, polypeptide, nucleic acid, nucleotide or protein contg. ligand analog are disclosed and claimed. A fluorescence immunoassay for human chorionic gonadotropin (hCG) uses a conjugate of anti-hCG monoclonal antibody and latex particles contg. 1,1'-dihexyl-3,3,3',3'-tetramethylindodicarbocyanine iodide and silicon 2,3-naphthalocyanine bis(dimethylvinylsilyloxy) (prepn. given).



IT 163968-86-3 163969-09-3

RL: ARG (Analytical reagent use); PRP (Properties); ANST (Analytical study); USES (Uses)

(fluorescence energy transfer in particles)


RN 163968-86-3 HCAPLUS

CN Silicon, bis[1-[2-[(hydroxy-.kappa.O)dimethylsilyl]ethyl]-1H-pyrrole-2,5-dionato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163969-09-3 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O] [29H, 31H-
 phthalocyaninato(2-)-.kappa.N29, .kappa.N30, .kappa.N31, .kappa.N32]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 2-A







IT 68812-20-4P 92396-89-9P 163968-89-6P
 163969-10-6P
 RL: ARG (Analytical reagent use); PRP (Properties); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation); USES (Uses) (fluorescence energy transfer in particles)
 RN 68812-20-4 HCAPLUS
 CN Silicon, bis(ethenyldimethylsilanolato)[29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 92396-89-9 HCAPLUS
 CN Silicon, [29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]bis(trihexylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A









RN 163968-89-6 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[5,9,14,18,23,27,32,36-
 octaethoxy-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-
 q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 2-A




PAGE 2-B







RN 163969-10-6 HCAPLUS
 CN Silicon, bis(ethenyldimethylsilanolato) [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)



IT 163969-07-1P 163969-08-2P
 RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation); USES (Uses) (fluorescence energy transfer in particles)
 RN 163969-07-1 HCAPLUS
 CN Silicon, bis[methyl 11-[(hydroxy-.kappa.O)dimethylsilyl]undecanoato] [29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163969-08-2 HCAPLUS
 CN Silicon, bis[4-[(hydroxy-.kappa.O)dimethylsilyl]butanenitrilato][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)




IT 342373-96-0
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (fluorescence energy transfer in particles)
 RN 342373-96-0 HCAPLUS
 CN Silicon, bis[1-[(hydroxy-.kappa.O)dimethylsilyl]-1H-pyrrole-2,5-dionato][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***



IT 163968-88-5P 163968-91-0P 163968-92-1P
 163968-94-3P 163968-95-4P 163969-11-7P
 163969-15-1P 183872-48-2P 342373-96-0DP,
 reaction with fluorescein
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (fluorescence energy transfer in particles)
 RN 163968-88-5 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrizinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)



RN 163968-91-0 HCAPLUS
 CN Silicon, bis(ethenyldiphenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163968-92-1 HCAPLUS
 CN Silicon, bis[1-[2-[[(hydroxy-.kappa.O)dimethylsilyl]oxy]ethyl]-1H-pyrrole-2,5-dionato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 163968-94-3 HCAPLUS
 CN Silicon, bis[dimethyl(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)silanolato- κ O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2'',3'''-q]porphyrazinato(2-)- κ N37, κ N38, κ N39, κ N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)



PAGE 1-A




PAGE 1-B


— (CF₂)₅—CF₃


RN 163968-95-4 HCAPLUS
 CN Silicon, bis[[[(2E,4E,6E,8E)-3,7-dimethyl-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,4,6,8-nonatetraenyl]oxy]dimethylsilanolato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)






RN 163969-11-7 HCAPLUS
CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato- κ O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)- κ .N37, κ .N38, κ .N39, κ .N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)







RN 163969-15-1 HCAPLUS
 CN Silicon, [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]bis(triphenylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 183872-48-2 HCAPLUS
 CN Silicon, bis[dimethyl[4-[(1E)-2-phenylethenyl]phenoxy]silanolato-.kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 342373-96-0 HCAPLUS
 CN Silicon, bis[1-[(hydroxy-.kappa.O)dimethylsilyl]-1H-pyrrole-2,5-
 dionato][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.ka
 ppa.N32]-, (OC-6-12)-(9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS
RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L31 ANSWER 4 OF 7 HCAPLUS COPYRIGHT 2003 ACS

ACCESSION NUMBER: 1998:684455 HCAPLUS

DOCUMENT NUMBER: 129:317583

TITLE: Hybrid phthalocyanine derivatives and their uses in
immunoassays and nucleic acid assays

INVENTOR(S): Buechler, Kenneth F.; Noar, Joseph
B.; Tadesse, Lema

PATENT ASSIGNEE(S): Biosite Diagnostics Incorporated, USA

SOURCE: U.S., 57 pp., Cont.-in-part of U.S. Ser. No. 274,534.
CODEN: USXXAM

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 7

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5824799	A	19981020	US 1996-620597	19960322
US 6238931	B1	20010529	US 1994-274534	19940712
US 5763189	A	19980609	US 1994-311098	19940923
US 2002061602	A1	20020523	US 2001-776599	20010201
PRIORITY APPLN. INFO.:			US 1993-126367	B2 19930924
			US 1993-138708	B2 19931018
			US 1994-274534	A2 19940712
			US 1994-311098	A2 19940923
			US 1995-409825	A2 19950323
			WO 1994-US10826	W 19940923
			US 1995-409298	A2 19950323
			US 1996-620597	A1 19960322
			US 1998-66255	A2 19980424


AB Water sol. hybrid phthalocyanine derivs. having (1) at least one donor subunit with a desired excitation peak and (2) at least one acceptor subunit with a desired emission peak, wherein the derivs. are capable of intramol. energy transfer from the donor subunit to the acceptor subunit, are synthesized. Such derivs. also may contain an electron transfer subunit. Axial ligands may be covalently bound to the metals contained in the water sol. hybrid phthalocyanine derivs. Ligands, ligand analogs, polypeptides, proteins, and nucleic acids can be linked to the axial ligands of the dyes to form dye conjugates useful in immunoassays and nucleic acid assays.

IT 68812-20-4P 92396-89-9P 163968-88-5P
163968-89-6P 163968-92-1P 163968-94-3P
163968-95-4P 163969-09-3P 163969-10-6P
183872-63-1P 209161-30-8P 209161-31-9P
209161-33-1P

RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST (Analytical study); PREP (Preparation); USES (Uses)
(prepn. of hybrid phthalocyanine derivs. for uses in immunoassays and nucleic acid assays)


RN 68812-20-4 HCAPLUS




CN Silicon, bis(ethenyldimethylsilanolato)[29H,31H-phthalocyaninato(2-)-
.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)-(9CI) (CA INDEX
NAME)




RN 92396-89-9 HCAPLUS
 CN Silicon, [29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]bis(trihexylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A










RN 163968-88-5 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)





RN 163968-89-6 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [5,9,14,18,23,27,32,36-octaethoxy-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)






RN 163968-92-1 HCAPLUS
 CN Silicon, bis{1-[2-[[(hydroxy-.kappa.O)dimethylsilyl]oxy]ethyl]-1H-pyrrole-
 2,5-dionato}[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-
 q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)






RN 163968-94-3 HCAPLUS
 CN Silicon, bis[dimethyl(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)silanolato-.kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2'',3''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




— (CF₂)₅—CF₃


RN 163968-95-4 HCAPLUS
 CN Silicon, bis[[[(2E,4E,6E,8E)-3,7-dimethyl-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,4,6,8-nonatetraenyl]oxy]dimethylsilanolato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)






RN 163969-09-3 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato- κ .O][29H,31H-phthalocyaninato(2-)- κ .N29, κ .N30, κ .N31, κ .N32]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)







RN 163969-10-6 HCAPLUS
 CN Silicon, bis(ethenyldimethylsilanolato) [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-63-1 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O] [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)





RN 209161-30-8 HCAPLUS
 CN Silicon, bis(dimethyl-2-propenylsilanolato)[1,2,3,4-tetrafluoro-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)-(9CI) (CA INDEX NAME)

PAGE 1-A





PAGE 1-B






RN 209161-31-9 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato- κ O][1,2,3,4-tetrafluoro-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)- κ N33, κ N34, κ N35, κ N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 209161-33-1 HCAPLUS

CN Silicon, [2,18-bis(1,1-dimethylethyl)-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis(dimethyl-7-octenylsilanolato)-, (OC-6-12)-(9CI) (CA INDEX NAME)


PAGE 1-A




PAGE 1-B

=CH₂



IT 163968-91-0P 163969-07-1P 163969-11-7P
 163969-15-1P 183872-48-2P 183872-56-2P
 183872-57-3P 183872-66-4P 209161-25-1P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (prepn. of hybrid phthalocyanine derivs. for uses in immunoassays and
 nucleic acid assays)
 RN 163968-91-0 HCAPLUS
 CN Silicon, bis(ethenyldiphenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-
 g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N3
 9,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)




RN 163969-07-1 HCAPLUS
 CN Silicon, bis[methyl 11-[(hydroxy-.kappa.O)dimethylsilyl]undecanoato][29H,3
 1H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)



RN 163969-11-7 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][37H,39H-
 tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrinato(2-)-
 .kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX
 NAME)





RN 163969-15-1 HCAPLUS
 CN Silicon, [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]bis(triphenylsilanolato)-, (OC-6-12)-(9CI) (CA INDEX NAME)




RN 183872-48-2 HCAPLUS
 CN Silicon, bis[dimethyl[4-[(1E)-2-phenylethenyl]phenoxy]silanolato-
 .kappa.O] [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-
 q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)

PAGE 1-A






RN 183872-56-2 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraethoxy-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)



=CH₂


RN 183872-57-3 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,l]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A



=CH₂

RN 183872-66-4 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[2,3,11,12,20,21,29,30-octabromo-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 209161-25-1 HCAPLUS
 CN Silicon, bis[3-[(hydroxy-.kappa.O)dimethylsilyl]propanenitrilato][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

REFERENCE COUNT: 66 THERE ARE 66 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L31 ANSWER 5 OF 7 HCAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 1998:392268 HCAPLUS

Epperson 09/776,599

DOCUMENT NUMBER: 129:78836
TITLE: Fluorescence energy transfer and intramolecular energy transfer in particles using novel compounds for the application in immunoassays and nucleic acid assays
INVENTOR(S): Buechler, Kenneth F.; Noar, J. Barry
; Tadesse, Lema
PATENT ASSIGNEE(S): Biosite Diagnostics Inc., USA
SOURCE: U.S., 36 pp., Cont.-in-part of U. S. Ser. No. 274,534.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 7
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
-----	---	-----	-----	-----
US 5763189	A	19980609	US 1994-311098	19940923
US 6238931	B1	20010529	US 1994-274534	19940712
US 6251687	B1	20010626	US 1995-409298	19950323
US 5824799	A	19981020	US 1996-620597	19960322
US 2002061602	A1	20020523	US 2001-776599	20010201
PRIORITY APPLN. INFO.:			US 1993-126367	B2 19930924
			US 1993-138708	B2 19931018
			US 1994-274534	A2 19940712
			US 1994-311098	A2 19940923
			WO 1994-US10826	W 19940923
			US 1995-409298	A2 19950323
			US 1995-409825	A2 19950323
			US 1996-620597	A1 19960322
			US 1998-66255	A2 19980424

OTHER SOURCE(S): MARPAT 129:78836
GI



AB The invention concerns the synthesis of novel dyes and methods for the detection or visualization of analytes; more specifically fluorescent latex particles which randomly incorporate the novel fluorescent dyes and utilize fluorescent energy transfer and intramol. energy transfer, for the detection of analytes in immunoassays or in nucleic acid assay. Particles comprise an energy donor as a first component and a fluorescent dye as a second component that are positioned at an energy exchanging distance from one another; the two components have a Stokes shift of greater than or equal to 50 nm; and the particles bind on the surface a protein, polypeptide, nucleic acid, nucleotide or protein contg. ligand analog. In addn., novel fluorescent dyes (e.g., I) are described which exhibit intramol. energy transfer for use to label various mols., proteins, polypeptides, nucleotides and nucleic acids or to incorporate into particles. Compns. are given to minimize fluorescence quenching and to maximize fluorescence intensities of the dye mols. in the particles through the use of different dye mols. which posses the same or very similar excitation and emission wavelengths. Many novel phthalocyanine derivs. and hybrid phthalocyanine derivs. are disclosed. Thus latex microparticles have at least one hybrid phthalocyanine deriv., that deriv. has at least one donor subunit with a desired excitation peak; and at least one acceptor unit with desired emission peak. The deriv.(s) is/are capable of intramol. energy transfer from the donor subunit to the acceptor subunit; such derivs. also may contain and electron transfer subunit. Axial ligands may covalently bound to the metals contained in the hybrid phthalocyanine derivs. Numerous compds. capable of intramol. energy transfer as well as compds. for fluorescence energy transfer were synthesized.

IT 68812-20-4P 92396-89-9P 163968-88-5P
 163968-89-6P 163968-92-1P 163968-94-3P
 163968-95-4P 163969-09-3P 163969-10-6P

183872-63-1P 209161-30-8P 209161-31-9P

209161-33-1P


RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST

(Analytical study); PREP (Preparation); USES (Uses)

(Fluorescence energy transfer and intramol. energy transfer in particles using novel compds. for the application in immunoassays and nucleic acid assays)



RN 68812-20-4 HCAPLUS

CN Silicon, bis(ethenyldimethylsilanolato)[29H,31H-phthalocyaninato(2-)-.kappa.N29,..kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 92396-89-9 HCAPLUS

CN Silicon, [29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]bis(trihexylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163968-88-5 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163968-89-6 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[5,9,14,18,23,27,32,36-
 octaethoxy-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-
 q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)




PAGE 1-A

PAGE 2-A





PAGE 2-B






RN 163968-92-1 HCAPLUS
 CN Silicon, bis[1-[2-[[(hydroxy-.kappa.O)dimethylsilyl]oxy]ethyl]-1H-pyrrole-2,5-dionato] [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)






RN 163968-94-3 HCAPLUS
 CN Silicon, bis[dimethyl(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)silanolato-.kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2'',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)





— (CF₂)₅—CF₃



RN 163968-95-4 HCAPLUS
CN Silicon, bis[[[(2E,4E,6E,8E)-3,7-dimethyl-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,4,6,8-nonatetraenyl]oxy]dimethylsilanolato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrizinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A






RN 163969-09-3 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O] [29H, 31H-
 phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)





RN 163969-10-6 HCAPLUS
 CN Silicon, bis(ethenyldimethylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-
 g:2'',3''-1:2''',3'''-q]porphyrinato(2-)-.kappa.N37,.kappa.N38,.kappa.N3
 9,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-63-1 HCAPLUS
 CN Silicon, bis[dimethyl (pentafluorophenyl)silanolato-.kappa.O][8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)-(9CI) (CA INDEX NAME)



PAGE 1-A







RN 209161-30-8 HCAPLUS
 CN Silicon, bis(dimethyl-2-propenylsilanolato)[1,2,3,4-tetrafluoro-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)






RN 209161-31-9 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][1,2,3,4-tetrafluoro-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)-(9CI) (CA INDEX NAME)



RN 209161-33-1 HCAPLUS
 CN Silicon, [2,18-bis(1,1-dimethylethyl)-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,l]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis(dimethyl-7-octenylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)


=CH₂

IT 163968-91-0P 163969-07-1P 163969-11-7P
 163969-15-1P 183872-48-2P 183872-56-2P
 183872-57-3P 183872-66-4P 209161-25-1P


RL: SPN (Synthetic preparation); PREP (Preparation)
 (Fluorescence energy transfer and intramol. energy transfer in
 particles using novel compds. for the application in immunoassays and
 nucleic acid assays)

RN 163968-91-0 HCAPLUS



CN Silicon, bis(ethenyldiphenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-
 g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N3
 9,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)




RN 163969-07-1 HCAPLUS
 CN Silicon, bis[methyl 11-[(hydroxy-.kappa.O)dimethylsilyl]undecanoato][29H,3
 1H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32)-,
 (OC-6-12)-(9CI) (CA INDEX NAME).



RN 163969-11-7 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][37H,39H-
 tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrinato(2-)-
 .kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40)-, (OC-6-12)-(9CI) (CA INDEX
 NAME)





RN 163969-15-1 HCAPLUS
 CN Silicon, [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]bis(triphenylsilylanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-48-2 HCAPLUS
 CN Silicon, bis[dimethyl[4-[(1E)-2-phenylethenyl]phenoxy]silanolato-
 .kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-
 q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A






RN 183872-56-2 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[8,13,24,29-tetraethoxy-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)-(9CI) (CA INDEX NAME)



=CH₂


RN 183872-57-3 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,l]dinaphtho[2,3-g:2',3'-q]porphyrizinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A



=CH₂

RN 183872-66-4 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[2,3,11,12,20,21,29,30-octabromo-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3'''-q]porphyrizinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 209161-25-1 HCAPLUS
 CN Silicon, bis[3-[(hydroxy-.kappa.O)dimethylsilyl]propanenitrilato][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)

*** STRUCTURE DIAGRAM IS NOT AVAILABLE ***

REFERENCE COUNT: 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L31 ANSWER 6 OF 7 HCAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 1996:761698 HCAPLUS

DOCUMENT NUMBER: 126:33023
 TITLE: Hybrid phthalocyanine derivatives and their uses
 INVENTOR(S): Buechler, Kenneth F.; Noar, Joseph
 B.; Tadesse, Lema
 PATENT ASSIGNEE(S): Biosite Diagnostics Incorporated, USA
 SOURCE: PCT Int. Appl., 190 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 7
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9629367	A1	19960926	WO 1996-US3833	19960322
W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IS, JP, KE, KG, KP, KR, KZ, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI				
RW: KE, LS, MW, SD, SZ, UG, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, ML				
CA 2215727	AA	19960926	CA 1996-2215727	19960322
AU 9653188	A1	19961008	AU 1996-53188	19960322
EP 820489	A1	19980128	EP 1996-909805	19960322
EP 820489	B1	20010711		
R: AT, CH, DE, ES, FR, GB, IT, LI, NL				
JP 10508897	T2	19980902	JP 1996-528604	19960322
AT 203045	E	20010715	AT 1996-909805	19960322
PRIORITY APPLN. INFO.: US 1995-409825 A 19950323				
WO 1996-US3833 W 19960322				
AB	Water-sol. hybrid phthalocyanine derivs., fluorescent latex particles incorporating which are useful in competitive and noncompetitive immunoassays and nucleic acid assays, have (1) .gtoreq.1 donor subunit with a desired excitation peak and (2) .gtoreq.1 acceptor subunit with a desired emission peak, and are capable of intramol. energy transfer from the donor subunit to the acceptor subunit. They may also contain an electron-transfer subunit. Axial ligands may be covalently bound to the metals contained in the water-sol. hybrid phthalocyanine derivs. Ligands, ligand analogs, polypeptides, proteins, and nucleic acids can be linked to the axial ligands of the dyes to form conjugates useful in immunoassays and nucleic acid assays.			
IT	67881-06-5P 68812-20-4P 92396-89-9P, Bis[(trihexylsilyl)oxy]silicon phthalocyanine 142700-81-ODP, sulfonated 149971-18-6P 153454-01-4P 163968-88-5P 163968-89-6P 163968-91-0P, Silicon, bis(ethenyldiphenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)-N37,N38,N39,N40]-, (OC-6-12)- 163968-92-1P 163968-94-3P 163968-95-4P 163969-07-1P 163969-08-2P 163969-09-3P 163969-10-6P 163969-11-7P 163969-15-1P 183872-48-2P 183872-55-1P 183872-56-2P 183872-57-3DP, sulfonated 183872-57-3P 183872-61-9P 183872-62-0P 183872-63-1P 183872-66-4P 183872-71-1P 183872-72-2P 183872-74-4P 183872-76-6P 183872-77-7P 183872-79-9P 183872-81-3P 183872-82-4P 183872-84-6P 183872-94-8P 183872-95-9P 183872-96-0P 183872-98-2P 183872-99-3P 183873-03-2P 183873-11-2DP, sulfonated			


Epperson 09/776,599

183873-13-4DP, sulfonated 183873-14-5DP, sulfonated
183873-15-6DP, sulfonated 183873-17-8DP, sulfonated
183873-19-0P 183873-20-3P 183973-58-2P
183973-60-6P 184013-80-7P

RL: IMF (Industrial manufacture); PREP (Preparation)
(prepn. of water-sol. fluorescent hybrid phthalocyanine derivs. for
immunoassays)


RN 67881-06-5 HCAPLUS

CN Silicon, bis[(1,1-dimethylethyl)dimethylsilanolato][29H,31H-
phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
(OC-6-12)- (9CI) (CA INDEX NAME)





RN 68812-20-4 HCAPLUS

CN Silicon, bis(ethenyldimethylsilanolato)[29H,31H-phthalocyaninato(2-)-
.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX
NAME)




RN 92396-89-9 HCAPLUS


CN Silicon, [29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.k
appa.N32]bis(trihexylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 142700-81-0 HCAPLUS
 CN Silicon, bis[methyl 11-[(hydroxy-.kappa.O)dimethylsilyl]undecanoato] [37H, 3
 9H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrazinato(2-)-
 .kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX
 NAME)




RN 149971-18-6 HCAPLUS
 CN Silicon, bis(dimethyloctadecylsilylanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)




RN 153454-01-4 HCAPLUS
 CN Silicon, bis[(1,1-dimethylethyl)dimethylsilylanolato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)







RN 163968-88-5 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163968-89-6 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [5,9,14,18,23,27,32,36-octaethoxy-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)







RN 163968-91-0 HCAPLUS
 CN Silicon, bis(ethenyldiphenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrizinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)




RN 163968-92-1 HCAPLUS
 CN Silicon, bis[1-[2-[[(hydroxy-.kappa.O)dimethylsilyl]oxy]ethyl]-1H-pyrrole-2,5-dionato] [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A






RN 163968-94-3 HCAPLUS
 CN Silicon, bis[dimethyl(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)silanolato-.kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2'',3''-q]porphyrinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)





— (CF₂)₅—CF₃


RN 163968-95-4 HCAPLUS
CN Silicon, bis[[[(2E,4E,6E,8E)-3,7-dimethyl-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,4,6,8-nonatetraenyl]oxy]dimethylsilanolato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)

PAGE 1-A








RN 163969-07-1 HCAPLUS
 CN Silicon, bis[methyl 11-[(hydroxy-.kappa.O)dimethylsilyl]undecanoato][29H,3
 1H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)




RN 163969-08-2 HCAPLUS
 CN Silicon, bis[4-[(hydroxy-.kappa.O)dimethylsilyl]butanenitrilato][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)



RN 163969-09-3 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)





RN 163969-10-6 HCAPLUS
 CN Silicon, bis(ethenyldimethylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163969-11-7 HCAPLUS
 CN Silicon, bis[dimethyl (pentafluorophenyl)silanolato-.kappa.O] [37H,39H-
 tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-
 .kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX
 NAME)

PAGE 1-A








RN 163969-15-1 HCAPLUS
 CN Silicon, [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]bis(triph enylsilanolato)-, (OC-6-12)-.(9CI) (CA INDEX NAME)





RN 183872-48-2 HCAPLUS
 CN Silicon, bis[dimethyl[4-[(1E)-2-phenylethenyl]phenoxy]silanolato-.kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-.(9CI) (CA INDEX NAME)




RN 183872-55-1 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[5,23,28,32-tetraethoxy-33H,35H-dibenzo[b,g]dinaphtho[2,3-l:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-13)-(9CI) (CA INDEX NAME)



=CH₂




RN 183872-56-2 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraethoxy-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)



=CH₂


RN 183872-57-3 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrizinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)



=CH₂

RN 183872-57-3 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A



=CH₂

RN 183872-61-9 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [1,2,3,4-tetrafluoro-9,14,25,30-tetraphenyl-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-l:2'',3''-q]porphyrazinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]-, (OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A




=CH₂

RN 183872-62-0 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][1,2,3,4-tetrafluoro-9,14,25,30-tetraphenyl-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-1:2'',3''-q]porphyrazinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]-, (OC-6-12)- (9CI) (CA INDEX NAME).

PAGE 1-A





PAGE 2-A




RN 183872-63-1 HCAPLUS
CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)-(9CI) (CA INDEX NAME)

PAGE 1-A






RN 183872-66-4 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [2,3,11,12,20,21,29,30-octabromo-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-71-1 HCAPLUS
 CN Silicon, (dimethyl-7-octenylsilanolato) [1,4,17,20-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g,2',3'-q]porphyrazinato(2-)-

.kappa.N33, .kappa.N34, .kappa.N35, .kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 2-A



PAGE 2-B





PAGE 3-A




RN 183872-72-2 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][1,4,17,20-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g,2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)-(9CI) (CA INDEX NAME)

PAGE 1-A






RN 183872-74-4 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [9,14,25,30-tetraphenyl-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-1:2'',3''-q]porphyrizinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]-, (OC-6-12)-(9CI) (CA INDEX NAME)




=CH₂

Epperson 09/776,599

RN 183872-76-6 HCAPLUS
CN Silicon, [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis(triethylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183872-77-7 HCAPLUS
CN Silicon, bis(dimethyl-7-octenylsilanolato)[22,27-diphenyl-31H,33H-tribenzo[b,g,1]naphtho[2,3-q]porphyrazinato(2-)-.kappa.N31,.kappa.N32,.kappa.N33,.kappa.N34]-, (OC-6-13)- (9CI) (CA INDEX NAME)



PAGE 1-A

=CH₂


RN 183872-79-9 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazine-2,3,18,19-tetracarbonitrilato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)





=CH₂

Epperson 09/776,599

RN 183872-81-3 HCAPLUS
CN Silicon, bis(dimethyl-7-octenylsilanolato)[33H,35H-dibenzo[b,g]dinaphtho[2',3'-1:2'',3''-q]porphyrazine-10,11,17,18-tetracarbonitrilato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-13)- (9CI) (CA INDEX NAME)




RN 183872-82-4 HCAPLUS
CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][33H,35H-dibenzo[b,g]dinaphtho[2',3'-1:2'',3''-q]porphyrazine-10,11,17,18-tetracarbonitrilato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-13)- (9CI) (CA INDEX NAME)



RN 183872-84-6 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[2,3,18,19-tetrachloro-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 1-B



=CH₂

RN 183872-94-8 HCAPLUS
 CN Silicon, [18,19-dichloro-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-1:2'',3''-q]porphyrazinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]bis(dimethyl-7-octenylsilanolato)-, (OC-6-13)- (9CI) (CA INDEX NAME)







=CH₂

RN 183872-95-9 HCAPLUS
 CN Silicon, [18,19-dichloro-35H,37H-benzo[b]trinaphtho[2,3-g:2',3'-1:2'',3''-q]porphyrazinato(2-)-.kappa.N35,.kappa.N36,.kappa.N37,.kappa.N38]bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O]-, (OC-6-13)- (9CI) (CA INDEX NAME)




RN 183872-96-0 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [5,18,23,36-tetraphenyl-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)






RN 183872-98-2 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [29H,31H-phthalocyaninato(2-)-
 .kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX
 NAME)




RN 183872-99-3 HCAPLUS
 CN Silicon, bis(ethenyldimethylsilanolato) [29H,31H-phthalocyaninato(2-)-
 .kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-23)- (9CI) (CA INDEX
 NAME)



RN 183873-03-2 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [31H,33H-
 tribenzo[b,g,l]naphtho[2,3-q]porphyrizinato(2-)-
 .kappa.N31,.kappa.N32,.kappa.N33,.kappa.N34]-, (OC-6-13)- (9CI) (CA INDEX
 NAME)

NAME)


PAGE 1-A




PAGE 1-B

=CH₂


RN 183873-11-2 HCAPLUS
 CN Silicon, bis[(3-aminopropyl)bis(1-methylethyl)silanolato-
 .kappa.O][8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-
 q]porphyrinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-,
 (OC-6-12)-(9CI) (CA INDEX NAME)



RN 183873-13-4 HCAPLUS
 CN Silicon, bis[methyl 11-[(hydroxy-.kappa.O)dimethylsilyl]unadecanoato] [8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)





RN 183873-14-5 HCAPLUS
 CN Silicon, bis[(3-aminopropyl)bis(1-methylethyl)silanolato-.kappa.O] [37H,39H-tetranaphtho[2.3-b:2',3'-g:2'',3'''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183873-15-6 HCAPLUS
 CN Silicon, bis[1-[4-[(hydroxy-.kappa.O)dimethylsilyl]butyl]-2,5-
 pyrrolidinedionato][8,13,24,29-tetraphenyl-33H,35H-
 dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-
 .kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)-(9CI) (CA INDEX
 NAME)


PAGE 1-A






RN 183873-17-8 HCAPLUS
 CN Silicon, bis[N-[4-[(hydroxy-.kappa.O)dimethylsilyl]butyl]-3-mercaptopropanoato][8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)







RN 183873-19-0 HCAPLUS
 CN Silicon, [33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazine-
 2,3,18,19-tetracarbonitrilato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.
 N36]bis(dimethyl-7-octenylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)




=CH₂

RN 183873-20-3 HCAPLUS
CN Silicon, [33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazine-
2,3,18,19-tetracarbonitrilato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.
N36]bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O]-, (OC-6-12)- (9CI)
(CA INDEX NAME)






RN 183973-58-2 HCAPLUS
 CN Silicon, [2,18(or 2,19)-bis(1,1-dimethylethyl)-8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,l]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis(dimethyl-7-octenylsilanolato)-(9CI) (CA INDEX NAME)




D1-Bu-t

=CH₂


RN 183973-60-6 HCAPLUS
CN Silicon, [2,18(or 2,19)-bis(1,1-dimethylethyl)-8,13,24,29-tetraphenyl-
33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrazinato(2-)-
.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]bis[dimethyl(pentafluorophenyl)
)silanolato-.kappa.O]- (9CI) (CA INDEX NAME)





Dl-Bu-t

RN 184013-80-7 HCAPLUS
 CN Silicon, bis[(4-aminobutyl)dimethylsilanolato- κ .O][C,C,C,C-tetrakis(1,1-dimethylethyl)-29H,31H-phthalocyaninato(2-)- κ .N29, κ .N30, κ .N31, κ .N32]- (9CI) (CA INDEX NAME)



4 (Dl-Bu-t)

IT 183873-09-8DP, sulfonated 183873-16-7DP, sulfonated
 RL: IMF (Industrial manufacture); RCT (Reactant); PREP (Preparation); RACT


Epperson 09/776,599

(Reactant or reagent)

(prepn. of water-sol. fluorescent hybrid phthalocyanine derivs. for immunoassays)

RN 183873-09-8 HCAPLUS


CN Silicon, bis[(4-aminobutyl)dimethylsilanolato-.kappa.O][8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrizinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 183873-16-7 HCAPLUS

CN Silicon, bis[S-[3-[[4-[(hydroxy-.kappa.O)dimethylsilyl]butyl]amino]-3-oxopropyl] ethanethioato][8,13,24,29-tetraphenyl-33H,35H-dibenzo[b,1]dinaphtho[2,3-g:2',3'-q]porphyrizinato(2-)-.kappa.N33,.kappa.N34,.kappa.N35,.kappa.N36]-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A





PAGE 1-B





L31 ANSWER 7 OF 7 HCAPLUS COPYRIGHT 2003 ACS
 ACCESSION NUMBER: 1995:623505 HCAPLUS
 DOCUMENT NUMBER: 124:4485
 TITLE: Fluorescence energy transfer and intramolecular energy transfer in particles using novel compounds
 INVENTOR(S): Buechler, Kenneth Francis; Noar, Joseph Barry; Tadesse, Lema
 PATENT ASSIGNEE(S): Biosite Diagnostics Inc., USA
 SOURCE: PCT Int. Appl., 138 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: English
 FAMILY ACC. NUM. COUNT: 7
 PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9508772	A1	19950330	WO 1994-US10826	19940923
W: AU, CA, JP				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
US 6238931	B1	20010529	US 1994-274534	19940712
AU 9480112	A1	19950410	AU 1994-80112	19940923
EP 670041	A1	19950906	EP 1994-931287	19940923
EP 670041	B1	20020130		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
JP 08503994	T2	19960430	JP 1994-509970	19940923
AT 212721	E	20020215	AT 1994-931287	19950330
US 2002061602	A1	20020523	US 2001-776599	20010201
PRIORITY APPLN. INFO.:			US 1993-126367	A 19930924
			US 1993-138708	A 19931018
			US 1994-274534	A 19940712
			US 1994-311098	A2 19940923
			WO 1994-US10826	W 19940923
			US 1995-409298	A2 19950323
			US 1995-409825	B2 19950323
			US 1996-620597	A1 19960322
			US 1998-66255	A2 19980424
AB	<p>Particles and methods are disclosed for the detection or visualization of analytes, including nucleic acids by using fluorescence energy transfer or intramol. energy transfer. Particles comprising an energy donor as a first component and a fluorescent dye as a second component positioned in said particles at an energy exchanging distance from one another, wherein the two components have a Stokes shift of .gtoreq.50 nm, said particle having bound on its surface, a protein, polypeptide, nucleic acid, nucleotide or protein contg. ligand analog are disclosed and claimed. In addn., novel fluorescent dyes are described which exhibit intramol. energy transfer for use in labeling various mols., proteins, polypeptides, nucleotides and nucleic acids or incorporating into particles. Many novel phthalocyanine derivs. and hybrid phthalocyanine derivs. are disclosed and claimed. Such derivs. also may contain an electron transfer subunit. Axial ligands may be covalently bound to the metals contained in the hybrid phthalocyanine derivs. Numerous compds. capable of intramol. energy transfer as well as compds. for fluorescence energy transfer are claimed.</p>			
IT.	<p>163968-86-3 163968-87-4 163968-88-5 163968-89-6 163968-91-0 163968-92-1 163968-93-2 163968-95-4 RL: ARG (Analytical reagent use); ANST (Analytical study); USES (Uses) (flourescence and intramol. energy transfer in particles for biochem. anal.)</p>			
RN	163968-86-3 HCAPLUS			
CN	<p>Silicon, bis[1-[2-[(hydroxy-.kappa.0)dimethylsilyl]ethyl]-1H-pyrrole-2,5-dionato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3'''-q]porphyrinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)</p>			



RN 163968-87-4 HCAPLUS
 CN Silicon, bis[1-[2-(hydroxydimethylsilyl)ethyl]-1H-pyrrole-2,5-dionato-
 01][29H,31H-phthalocyaninato(2-)-N29,N30,N31,N32]-, (OC-6-12)- (9CI) (CA
 INDEX NAME)




RN 163968-88-5 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)




RN 163968-89-6 HCAPLUS
 CN Silicon, bis(dimethyl-7-octenylsilanolato) [5,9,14,18,23,27,32,36-
 octaethoxy-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-
 q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-,
 (OC-6-12)- (9CI) (CA INDEX NAME)




PAGE 1-A

PAGE 2-A




PAGE 2-B







RN 163968-91-0 HCAPLUS

CN Silicon, bis(ethenyldiphenylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)





RN 163968-92-1 HCAPLUS

CN Silicon, bis[1-[2-[[(hydroxy-.kappa.O)dimethylsilyl]oxy]ethyl]-1H-pyrrole-2,5-dionato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163968-93-2 HCAPLUS
 CN Silicon, bis[dimethyl[4-(2-phenylethenyl)phenyl]silanolato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrazinato(2-)-N37,N38,N39,N40]-, [OC-6-12-(E,E)]- (9CI) (CA INDEX NAME)




RN 163968-95-4 HCAPLUS
 CN Silicon, bis[[[(2E,4E,6E,8E)-3,7-dimethyl-9-(2,6,6-trimethyl-1-cyclohexen-1-yl)-2,4,6,8-nonatetraenyl]oxy]dimethylsilanolato][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3'''-l:2''',3''''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX


NAME)

PAGE 1-A




PAGE 1-B






IT 163969-18-4
 RL: ARG (Analytical reagent use); RCT (Reactant); ANST (Analytical study);
 RACT (Reactant or reagent); USES (Uses)
 (fluorescence and intramol. energy transfer in particles for biochem.
 anal.)
 RN 163969-18-4 HCAPLUS
 CN Silicon, bis[1-[(hydroxydimethylsilyl)oxy]-1H-pyrrole-2,5-dionato][29H,31H-
 phthalocyaninato(2-)-N29,N30,N31,N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)



IT 68812-20-4P 92396-89-9P 163968-94-3P
 163969-07-1P 163969-08-2P 163969-09-3P
 163969-10-6P 163969-11-7P 163969-15-1P
 163969-25-3P
 RL: ARG (Analytical reagent use); SPN (Synthetic preparation); ANST
 (Analytical study); PREP (Preparation); USES (Uses)
 (fluorescence and intramol. energy transfer in particles for biochem.
 anal.)


Epperson 09/776,599




RN 68812-20-4 HCAPLUS
CN Silicon, bis(ethenyldimethylsilanolato) [29H,31H-phthalocyaninato(2-)-
.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX
NAME)




RN 92396-89-9 HCAPLUS
CN Silicon, [29H,31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]bis(trihexylsilanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)

PAGE 1-A






RN 163968-94-3 HCAPLUS
 CN Silicon, bis[dimethyl(3,3,4,4,5,5,6,6,7,7,8,8,8-tridecafluorooctyl)silanolato-.kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2'',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)




— (CF₂)₅—CF₃

RN 163969-07-1 HCAPLUS
 CN Silicon, bis[methyl 11-[(hydroxy-.kappa.O)dimethylsilyl]undecanoato][29H, 31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163969-08-2 HCAPLUS
 CN Silicon, bis[4-[(hydroxy-.kappa.O)dimethylsilyl]butanenitrilato][29H, 31H-phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163969-09-3 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][29H, 31H-

phthalocyaninato(2-)-.kappa.N29,.kappa.N30,.kappa.N31,.kappa.N32]-,
(OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 2-A





RN 163969-10-6 HCAPLUS
CN Silicon, bis(ethenyldimethylsilanolato)[37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-1:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)



RN 163969-11-7 HCAPLUS
 CN Silicon, bis[dimethyl(pentafluorophenyl)silanolato-.kappa.O][37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]-, (OC-6-12)-(9CI) (CA INDEX NAME)


PAGE 1-A





RN 163969-15-1 HCAPLUS


CN Silicon, [37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)-.kappa.N37,.kappa.N38,.kappa.N39,.kappa.N40]bis(triphenylsilylanolato)-, (OC-6-12)- (9CI) (CA INDEX NAME)




RN 163969-25-3 HCAPLUS

CN Silicon, bis(dimethyl-7-octenylsilanolato)[5,9,14,18,23,27,32,36-octabromo-37H,39H-tetranaphtho[2,3-b:2',3'-g:2'',3''-l:2''',3'''-q]porphyrazinato(2-)-N37,N38,N39,N40]-, (OC-6-12)- (9CI) (CA INDEX NAME)


PAGE 1-A



PAGE 1-B



PAGE 2-A



PAGE 2-B

